

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|---------------------|
| L2 | 63329 | @ad<"20040127" and "20040117494" ((select\$3 or choos\$3 or cho\$3) with protocol) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 14:50 |
| L3 | 1 | @ad<"20040127" and "20040117494" and ((select\$3 or choos\$3 or cho\$3) with protocol) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 15:01 |
| L4 | 1 | @ad<"20040127" and "20040117494" and ((access\$7 same inform\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 15:05 |
| L5 | 1 | @ad<"20040127" and "20040117494" and ((remov\$3 or delet\$3 or eras\$3) same protocol) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 15:13 |
| L6 | 6 | @ad<"20040127" and ("7099947") and (select\$4 choos\$3 cho\$3 protocol determin\$5 device object extract\$3 status inform\$5 further test\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 15:17 |
| L8 | 5 | @ad<"20040127" and ("20040117494" or "7099947") and (vendor make model generic \$4 oem manufactur\$3 brand factory) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 16:21 |
| L9 | 5 | @ad<"20040127" and ("20040117494" or "7099947") and (vendor make model generic \$4 oem manufactur\$3 brand factory part) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 16:39 |
| L10 | 6 | @ad<"20040127" and ("20040117494" or "7099947") and (vendor make model generic \$4 oem manufactur\$3 brand factory part number) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 16:39 |

| | | | | | | |
|-----|---|--|---|----|----|---------------------|
| L11 | 7 | @ad<"20040127" and ("20040117494" or "7099947") and (vendor make model generic \$4 oem manufactur\$3 brand factory part number identi\$8 id) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 16:45 |
| L12 | 8 | @ad<"20040127" and ("20040117494" or "7099947") and (vendor make model generic \$4 oem manufactur\$3 brand factory part number identi\$8 id device object) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 16:46 |
| L13 | 8 | @ad<"20040127" and ("20040117494" or "7099947") and (vendor make model generic \$4 oem manufactur\$3 brand factory part number identi\$8 id device object legacy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 16:55 |
| L14 | 2 | @ad<"20040127" and ("20040117494" or "7099947") and ((remov\$3 or eras\$3 or delet \$3) with (object or device)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 17:13 |
| L15 | 8 | @ad<"20040127" and ("20040117494" or "7099947") and (device object protocol parameter map entry string corresponding vector table) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 17:21 |
| L16 | 0 | @ad<"20040127" and ("20040117494" or "7099947") and (vector) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 17:25 |
| L17 | 6 | @ad<"20040127" and ("20040117494" or "7099947") and (transmi\$5 send\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 17:33 |
| L18 | 4 | @ad<"20040127" and ("20040117494" or "7099947") and ((transmi\$5 send\$3) with (device or object)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 17:33 |
| L19 | 2 | @ad<"20040127" and ("20040117494" or "7099947") and (repeat\$3 or loop\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 17:39 |

| | | | | | | |
|------|----|--|---|----|----|---------------------|
| L20 | 6 | @ad<"20040127" and ("20040117494" or "7099947") and (snmp http ftp extract\$3 status) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 17:56 |
| L21 | 5 | @ad<"20040127" and ("20040117494" or "7099947") and (snmp extract\$3 status) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 18:01 |
| S238 | 31 | @ad<"20040127" and (709/229. ccls. or 709/230.ccls.) and ((select \$4 or choos\$3 or cho\$3) near3 protocol) and ((delet\$3 or remov \$3 or eras\$3) near3 protocol) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 15:16 |
| S239 | 12 | @ad<"20040127" and ("20040117494" or "20020124094" or "7231451" or "6167451") and (select\$4 choos \$3 cho\$3 protocol delet\$3 remov \$3 eras\$3 protocol access\$4 determin\$5 network\$3 device object communicat\$3 extract\$3 status inform\$5 us\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 15:57 |
| S240 | 29 | @ad<"20040127" and (709/229. ccls. or 709/230.ccls.) and (snmp and http and ftp and vend\$3 and generic\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 18:24 |
| S241 | 29 | @ad<"20040127" and (709/229. ccls. or 709/230.ccls.) and (snmp and http and ftp and vend\$3 and generic\$4) and (select\$4 choos\$3 cho\$3 protocol delet\$3 remov\$3 eras\$3 protocol access\$4 determin\$5 network\$3 device object communicat\$3 extract\$3 status inform\$5 us\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 18:29 |
| S242 | 15 | @ad<"20040127" and ("5812826") and (snmp http ftp vend\$3 generic\$4 select\$4 choos \$3 cho\$3 protocol delet\$3 remov \$3 eras\$3 protocol access\$4 determin\$5 network\$3 device object communicat\$3 extract\$3 status inform\$5 us\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 18:46 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S243 | 110 | @ad<"20040127" and ("5812826" or "6122639" or "6487717") and (snmp http ftp vend\$3 generic\$4 select\$4 choos\$3 cho\$3 protocol delet\$3 remov\$3 eras\$3 protocol access\$4 determin\$5 network\$3 device object communicat\$3 extract\$3 status inform\$5 us\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 18:59 |
| S244 | 29 | @ad<"20040127" and ("20040117494" "20020124094" "7231451" "6985956" "6167451") and (vendor model snmp http ftp string generic) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 19:17 |
| S245 | 5 | @ad<"20040127" and ("20040117494" "20020124094" "7231451" "6985956" "6167451" "7099947") and (vendor and generic) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 19:30 |
| S246 | 17 | @ad<"20040127" and ("20040117494" "20020124094" "7231451" "6985956" "6167451" "7099947") and (vendor generic) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 19:31 |
| S247 | 13 | @ad<"20040127" and ("20040117494" "20020124094" "7231451" "6985956" "6167451" "7099947") and (vendor) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 19:31 |
| S248 | 0 | @ad<"20040127" and ("20040117494" "20020124094" "7231451" "6985956" "6167451" "7099947") and (extract\$3 near\$3 status) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 19:33 |
| S249 | 20 | @ad<"20040127" and ("20040117494" "20020124094" "7231451" "6985956" "6167451" "7099947") and (status) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 19:33 |
| S250 | 1 | @ad<"20040127" and ("20020124094" "7099947") and ((select\$4 or choos\$3 or cho\$3) near\$3 protocol) and ((delet\$3 or remov\$3 or eras\$3) near\$3 protocol) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 19:52 |

| | | | | | | |
|------|----|--|---|----|----|---------------------|
| S251 | 8 | @ad<"20040127" and ("20020124094" "7099947") and (snmp http ftp vend\$3 generic\$4 select\$4 choos\$3 cho\$3 protocol delet\$3 remov\$3 eras\$3 access\$4 determin\$5 network\$3 device object communicat\$3 extract\$3 status inform\$5 us\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 19:53 |
| S252 | 21 | @ad<"20040127" and ("20040117494" "20020124094" "7231451" "6985956" "6167451" "7099947") and (model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 20:00 |
| S253 | 33 | @ad<"20040127" and ("20040117494" "20020124094" "7231451" "6985956" "6167451" "7099947") and (model manufactur\$3 oem brand make) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 20:05 |
| S254 | 1 | @ad<"20040127" and ("20040117494") and ((select\$4 or choos\$3 or cho\$3) near3 protocol) and ((delet\$3 or remov\$3 or eras\$3) near3 protocol) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 20:06 |
| S255 | 2 | @ad<"20040127" and ("20040117494") and (snmp http ftp vend\$3 generic\$4 select\$4 choos\$3 cho\$3 protocol delet\$3 remov\$3 eras\$3 access\$4 determin\$5 network\$3 device object communicat\$3 extract\$3 status inform\$5 us\$3 model manufactur\$3 oem brand make) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 20:08 |
| S256 | 8 | @ad<"20040127" and ("20040117494" "7099947") and (snmp http ftp vend\$3 generic\$4 select\$4 choos\$3 cho\$3 protocol delet\$3 remov\$3 eras\$3 access\$4 determin\$5 network\$3 device object communicat\$3 extract\$3 status inform\$5 us\$3 model manufactur\$3 oem brand make further test\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:24 |

8/ 14/ 2008 6:26:01 PM

C:\Documents and Settings\mfearner\My Documents\EAST\Workspaces\10764527.wsp